

C++ Teasers

Frank B. Brokken
Center of Information Technology, University of Groningen

December 2013 - March 2014

1 About the teasers

If you're interested in C++, then this document may contains some interesting (and maybe teasing) questions.

Every now and then I may update the questions.

Most of these should be easy to answer, especially if you've attended my C++ courses. Can't attend them? I may have a tailored course for you. Just contact me if you're interested.

2 Questions

- When to define enums? Should they be strongly typed? When should they be? When is defining a strongly typed enum not really necessary?
- Why use `++idx` rather than `idx++` in, e.g.,

```
for (size_t idx = 0; idx != end; ++idx)
    ...
```

- Why prefer `!=` over `<` in for-stmnt conditions?
- How can you be sure that you're not falling in the off-by-one trap when using for-stmnts? Both in the incrementing and decrementing case?
- What's your philosophy for using a for-statement? And a while-statement? (or don't you have one?)
- When do you prefer an if-stmnt over a switch-stmnt? And v.v.?
- Do you ever prefer neither? If so, what's your alternative?
- What is your philosophy for defining classes?

- How do you implement (rather than design) your class members? What is your software design philosophy here?
- `new Type[n]` calls `Type`'s default constructor. What do you do if you need to define `n` `Type` objects using a non-default constructor?
- The intent is to use placement `new` to enlarge arrays of `Object` objects. Assume initially you do `ptr = new Object[1]`. Since placement `new` is used to create a larger array, we use `operator delete ptr` to return the previously allocated array just before assigning `ptr` to the enlarged array. Why does the program (usually) crash with a run-time error complaining that `ptr` contains is an invalid pointer?
- Do you have any good arguments for using placement `new`?
- Why won't the compiler allow you to pass a `Type **` argument to a function defining a `Type const **` parameter?
- Why should you put 'const' *behind* the things that are constant, and not before?
- How can you provide context to signal handlers?
- What is your approach to using shared memory? Can you do so without violating principles of designing reusable software?
- How do you distinguish lvalue and rvalue uses of the index operator?
- How to use the copy generic algorithm and `std::istream_iterators` to fill a `std::vector<std::string>` with the *lines*, rather than blank-delimited words from an `std::istream`?
- Why is it a bad idea to use 'virtual' for members of derived classes if their base classes also specified 'virtual'? What should you do instead?
- Did you ever have to implement a swap-member? How do you implement a swap member if your class features reference members?
- When do you consider adding members having rvalue reference parameters to your classes?
- Why is inheritance used?
- Is inheritance ever useful without polymorphism?
- What is a polymorphic base class? Why would you use one?
- What are VTables and where are they? Can you organize your software in such a way that you have one answer that's always correct?
- Why do objects of polymorphic classes occupy more memory than objects of non-polymorphic classes?
- What is static polymorphism? Do you have an example?
- What's so interesting about rvalue reference parameters in function templates?

- How do you design a `const_iterator` which is derived from a `std::iterator` created as a `std::input_iterator_tag`, but which also allows you to use a matching `std::reverse_iterator`?
- Why don't classes derived from `Base` have to be polymorphic when storing newly allocated objects of such classes in a `std::shared_ptr<Base>` or `std::unique_ptr<Base>` object?
- Could you design and implement a class template expecting a `typename Base`, accepting a pointer to any class that is derived from `Base` (either at construction-time or using a `reset` member, just like `std::shared_ptr<Base>` or `std::unique_ptr<Base>`), properly deleting the `Derived` class object when the object of your class goes out of scope? (Your class may not use or rely on polymorphism either).